



SECTION 1 - IDENTIFICATION

Manufacturer: Black Swan Mfg. Co. 4540 W. Thomas St. Chicago, IL 60651-3318 Tel.: 800-252-5796 Fax: 773-227-3705 Web Site : www.blackswanmfg.com E-mail : info@blackswanmfg.com	For any Transportation or Medical Chemical Emergencies call: INFOTRAC (800) 535-5053 OR (352) 323-3500 24 hours per day - 7 days a week
Product Name: All Purpose Absorbent	Recommended Use: Absorbs oils, water, grease and many other liquids.

SECTION 2 – HAZARD(S) IDENTIFICATION

Labels None	NFPA HEALTH HAZARD 4 – Deadly 3 – Extreme Danger 2 – Hazardous 1 – Slight Hazardous 0 – Normal Material SPECIFIC HAZARD Oxidizer OX Acid ACID Alkali ALK Corrosive COR Use NO WATER W Radioactive R	Fire Hazard Flash Points 4 – Below 73°F 3 – Below 100°F 2 – Above 100°F, Not exceeding 200°F 1 – Above 200°F 0 – Will not burn REACTIVITY 4 – May detonate 3 – Shock and heat may detonate 2 – Violent chemical change 1 – Unstable if heated 0 – Stable	GHS Classification Health Acute Toxicity: Not Established Skin Irritation: Not Established Eye Irritation: Not Established Skin Sensitization: NO Environmental Acute Aquatic Toxicity: Not Established Chronic Aquatic Toxicity: Not Established
Signal Word None			Physical None
HMIS HEALTH 1 FLAMMABILITY 0 REACTIVITY 0			Hazardous Statements None Precautionary Statements P102 : Keep out of reach of children P264: Wash thoroughly after handling P270: Do not eat, drink or smoke when using this product

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemicals</u>	<u>CAS#</u>	<u>EINECS#</u>	<u>REACH</u> <u>Pre-registration Number</u>	<u>Approx %</u>
QUARTZ	14808-607-7	238-878-4	N/A	10%
FULLERS EARTH	801-18-3	N/A	N/A	90-100%
BENTONITE	1302-78-9	N/A	N/A	90-100%
SILICA HYDRATED	7631-86-9	N/A	N/A	90-100%

*Unlisted ingredients are not classified as hazardous according to OSHA 1910.1200.

SECTION 4 – FIRST-AID MEASURES

Inhalation: Move to fresh air. Skin: None. Eyes: Flush eyes with large amounts of water for at least 15 minutes, holding eyelids open. If eye irritation persists get medical attention. Ingestion: If used material is digested, get medical attention due to possibility of chemical contamination. If large amounts of unused material are swallowed, get medical attention.
--

SECTION 5 – FIRE-FIGHTING MEASURES

Fire Hazard: At a concentration exceeding 0.1 oz./ft ³ dusts can be ignited by sparks or other ignition sources. Combustion Products: None. Extinguishing Media: Appropriate media Unsuitable Extinguishing Media: None known. Protective Equipment: Wear a self-contained breathing apparatus {(SCBA), MSHA/NIOSH}. Full protective clothing. Special Fire Fighting Procedures: None.
--

GHS SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: None.
Protective Equipment: None.
Emergency Procedures: None.
Environmental Precautions: None.
Methods for Cleaning Up: Clean up by scrapping and put in a container for re-use or disposal.

SECTION 7 – HANDLING AND STORAGE

Handling

Keep out of reach of children. Use with adequate ventilation. Avoid breathing vapors, mists, or dust. If clothing becomes dusty, launder before re-use.

Storage

Store in a dry place. **Incompatible materials:** Contact of dry clay with turpentine, vegetable oil or other unsaturated organic compounds, or with hydrofluoric acid may generate heat and/or fire.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

This product is not classified as hazardous according to OSHA 1910.1200.

Engineering Controls: A source of running water to flush or wash the eyes and skin in case of contact. Use local exhaust as needed.
Ventilation: Local ventilation is adequate.
Personal Protective Equipment – Respiratory: None. **Skin:** None. **Eyes:** Safety glasses or goggles.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance: Gray to Tan	Flash Point: Not Established	Vapor Pressure: Not Established
Odor: None	Specific Gravity: 2.20	Flammability: Not Established
pH: Not Established	Solubility (H₂O): Insoluble	Flammability Limits: LEL – Not Established
Melting Point: Not Established	Evaporation Rate: Not Established	UEL – Not Established
Freezing Point: Not Established	Vapor Density: Not Established	
Boiling Point: Not Established	VOC: 0 g/l	

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.
Hazardous polymerization: Will not occur.
Conditions to avoid: None known.
Incompatible materials: Contact of dry clay with turpentine, vegetable oil or other unsaturated organic compounds, or with hydrofluoric acid may generate heat and/or fire.
Hazardous decomposition products: None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Toxicity

This product is not classified as hazardous according to OSHA 1910.1200.

Likely Routes of Exposure: Inhalation and Eye Contact.
Symptoms and Effect – Inhalation: Inhalation of excessive concentrations of dust may cause irritation of mucous membranes and upper respiratory tract. **Skin Contact:** No adverse effects expected. **Eye Contact:** Contact may cause mechanical irritation and possible injury.
Ingestion: No adverse effects expected with unused material.
Long-Term Effect: Inhalation of excessive concentrations of any dust, including this material, may lead to lung injury. This product contains crystalline; which can cause disabling and fatal disease of the lung.
Pre-Existing Conditions: None known.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: None known.
Persistence & Degradability: None known.
Bioaccumulative Potential: None known.
Mobility in soil: In normal use, emission of Volatile Organic Compounds (VOC's) to the air takes place, typically at a rate of 0 g/l.

GHS SAFETY DATA SHEET

SECTION 13 – DISPOSAL CONSIDERATION

Dispose of product or container in accordance with federal, state or local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

D.O.T. (U.S.): Not Regulated.

SECTION 15 – REGULATORY INFORMATION

Precautionary Label Information: None.

Risk Phrases: None.

Safety Phrases: S2-Keep out of reach of children.

SECTION 16 – OTHER INFORMATION

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Mfg. Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents and contractors of the information on the sheets.

DATE: 01/01/2025